

\$1,214,999 - Saint James Rd, ACCOKEEK

MLS® #MDPG2178232

\$1,214,999

6 Bedroom, 5.50 Bathroom, 6,270 sqft
Residential on 0.86 Acres

ST JAMES, ACCOKEEK, MD

Welcome to this exceptional Hancock home!
Included features: formal dining room off the entry, a spacious great room with gas fireplace with stone, a gourmet kitchen with a generous island, adjacent nook, with sunroom, and convenient butler's pantry and walk- in pantry, GE stainless steel Cafe appliances, upgrades cabinets, bedroom 5 on main level with full shower, upgraded tile, walk in closet, Primary has upgraded shower with separate soaking tub, walk -in closet, double sinks, three additional bedrooms, including one with a private full bath, a shared hall bath with double sinks, a central laundry off the primary, loft area, fully finished basement with additional bedroom and full bath, Covered Deck off the rear of the home, call for your appointment today, this one won't last long!



Built in 2025

Essential Information

MLS® #	MDPG2178232
Price	\$1,214,999
Bedrooms	6
Bathrooms	5.50
Full Baths	5
Half Baths	1
Square Footage	6,270
Acres	0.86
Year Built	2025

Type	Residential
Sub-Type	Detached
Style	Colonial
Status	Active

Community Information

Address	Saint James Rd
Subdivision	ST JAMES
City	ACCOKEEK
County	PRINCE GEORGES-MD
State	MD
Zip Code	20607

Amenities

Amenities	Soaking Tub, Bathroom - Walk-In Shower, Entry Lvl BR, Formal/Separate Dining Room, Pantry, Recessed Lighting, Upgraded Countertops, Walk-in Closet(s), Wood Floors, Washer/Dryer Hookup
Parking	Asphalt Driveway, Electric Vehicle Charging Station(s)
# of Garages	2
Garages	Garage - Side Entry, Garage Door Opener

Interior

Appliances	Built-In Microwave, Cooktop, Dishwasher, Disposal, Ice maker, Oven-Single, Oven/Range-Gas, Range hood, Refrigerator, Six burner stove, Stainless Steel Appliances
Heating	Forced Air, Heat Pump - Gas BackUp, Heat Pump(s), Programmable Thermostat
Cooling	Central A/C, Heat Pump(s), Programmable Thermostat
Has Basement	Yes
Basement	Fully Finished, Heated, Interior Access, Poured Concrete, Rough Bath Plumb, Sump Pump, Walkout Stairs, Windows
Fireplace	Yes
# of Fireplaces	1
Fireplaces	Fireplace - Glass Doors, Gas/Propane, Mantel(s), Stone
# of Stories	3
Stories	3

Exterior

Exterior	Brick Veneer, Vinyl Siding
Exterior Features	Exterior Lighting, Street Lights, Deck(s), Porch(es)

Lot Description	Backs to Trees, Lot Premium, Rear Yard, SideYard(s)
Windows	Energy Efficient, Low-E, Screens
Roof	Architectural Shingle, Asphalt, Shingle
Foundation	Concrete Perimeter

School Information

District	PRINCE GEORGE'S COUNTY PUBLIC SCHOOLS
Elementary	CALL SCHOOL BOARD
Middle	CALL SCHOOL BOARD
High	CALL SCHOOL BOARD

Additional Information

Date Listed	October 2nd, 2025
Days on Market	23
Zoning	RESIDENTIAL

Listing Details

Listing Office	LPT Realty, LLC
----------------	-----------------

© 2025 BRIGHT, All Rights Reserved. Information deemed reliable but not guaranteed. The data relating to real estate for sale on this website appears in part through the BRIGHT Internet Data Exchange program, a voluntary cooperative exchange of property listing data between licensed real estate brokerage firms in which Compass participates, and is provided by BRIGHT through a licensing agreement. Real estate listings held by brokerage firms other than Compass. are marked with the IDX logo and detailed information about each listing includes the name of the listing broker. The information provided by this website is for the personal, non-commercial use of consumers and may not be used for any purpose other than to identify prospective properties consumers may be interested in purchasing. Some properties which appear for sale on this website may no longer be available because they are under contract, have Closed or are no longer being offered for sale. Some real estate firms do not participate in IDX and their listings do not appear on this website. Some properties listed with participating firms do not appear on this website at the request of the seller. Listing information last updated on October 24th, 2025 at 7:30am EDT